

screen with vertical splits

I've patched screen 4.0.3 by http://vsp4sdl.yuggoth.org/wrp_vertical_split_0.3_4.0.2.diff.bz2 patch with vertical split capability It looks a bit strange but it works.

[linux,, tools,, screen](#)

```

kkv@heron: Aws/screen-4.0.3
-u Figure out the owner of the current VT, and run login as that user.
   Suitable to be called by init. Shouldn't be used with -c or -l.
-l Make the command a login shell. A - is prepended to the name of the
   command to be executed.
-v Be a bit more verbose.
-w wait for command to complete. If -w and -s are used together then
   openvt will switch back to the controlling terminal when the command
   completes.
-- end of options to openvt.

EXAMPLES
openvt can be used to start a shell on the next free VT, by using the comE-
mand:
openvt bash

To start the shell as a login shell, use:
openvt -l bash

SEE ALSO
Manual page open(1) line 28
2 bash

98 */
99 #define MAXHISTHEIGHT 3000
100 #define DEFAULTHISTHEIGHT 100
101 #if defined(NAME_MAX) && NAME_MAX < 16
102 # define DEFAULT_BUFFERFILE "/tmp/screen-xchg"
103 #else
104 # define DEFAULT_BUFFERFILE "/tmp/screen-exchange"
105 #endif
106
107
108 #if defined(hpux) && !(defined(VSUSP) && defined(VDSUSP) && defined(VVERASE) && defined(VLNEXT))
109 # define HPUX_LTCHARS HACK
110 #endif
111
112 +-- 28 lines: struct mode-----
140
141
142 /* #include "logfile.h" */ /* (requires stat.h) struct logfile */
143 #include "image.h"
144 #include "display.h"
145 #include "window.h"
146
147 /*
148 * Parameters for the Detach() routine
149 */
150 #define D_DETACH 0

```

From: <http://wiki.osll.ru/> - Open Source & Linux Lab

Permanent link: http://wiki.osll.ru/doku.php/etc:blogs:kkv:screen_with_vertical_splits

Last update: 2009/06/05 16:37

