

GCC support for Xtensa

- Git tree: <https://github.com/jcmvbkbc/gcc-xtensa>

Compiler build for full testing

gcc testsuite requires libc, so the easiest way is the following:

- build toolchain with libc, e.g. by the buildroot
- configure and build gcc with sysroot of that toolchain:

```
export TOOLCHAIN=/home/jcmvbkbc/tmp/br/build-toolchain
export TARGET=xtensa-buildroot-linux-uclibc # use for linux
# export TARGET=xtensa-buildroot-uclinux-uclibc # use for uclinux
PATH=$TOOLCHAIN/host/usr/bin:$PATH ../gcc/configure \
  --prefix=`pwd`/root --target=$TARGET \
  --disable-libssp --disable-libisl --enable-languages=c,c++ \
  --enable-tls --enable-threads --enable-__cxa_atexit \
  --with-sysroot=$TOOLCHAIN/host/usr/$TARGET/sysroot
PATH=$TOOLCHAIN/host/usr/bin:$PATH make -j8 all
```

- run it on your board (board configuration is a file in a directory specified in the ~/.dejagnurc e.g. ~/boards):

```
DEJAGNU_TIMEOUT=1200 PATH=$TOOLCHAIN/host/usr/bin:$PATH \
RUNTESTFLAGS="CFLAGS_FOR_TARGET=- -
sysroot=$TOOLCHAIN/host/usr/$TARGET/sysroot --target_board=qemu-xtensa" \
make -k check
```

Use check-gcc to only check the compiler. Use check-target to check target libs. Timeouts are weird. See gcc/testsuite/lib/timeout.exp for some timeouts, the rest are TBD.

- run it on linux-user QEMU:

```
PATH=$TOOLCHAIN/host/usr/bin:$PATH \
QEMU_LD_PREFIX=$ROOTFS \
RUNTESTFLAGS="CFLAGS_FOR_TARGET=- -
sysroot=$TOOLCHAIN/host/usr/$TARGET/sysroot\ -mauto-litpools" \
make -k check
```

File system in \ \$ROOTFS should have sysroot libraries installed, but nothing else. \ \$TOOLCHAIN/target usually works.

- to run uclinux tests use TARGET=xtensa-buildroot-uclinux-uclibc and provide environment variable FLTFLAGS='-s 0x01000000'. -Wl,-elf2flt='-s 0x01000000' passed in CFLAGS_FOR_TARGET breaks precompiled header tests.
- to run call0 tests provide environment variable QEMU_XTENZA_ABI_CALL0="" in qemu-4.2+

Compiler build for debug

```
../gcc/configure \  
  --prefix=`pwd`/root --target=$TARGET \  
  --disable-libssp --disable-libisl --enable-languages=c,c++ \  
  --enable-debug --enable-valgrind-annotations --disable-docs \  
  --enable-checking=all \  
  CFLAGS='-O0 -g3' CXXFLAGS='-O0 -g3'  
make -j8 all-gcc  
make -j8 install-gcc
```

For `--enable-valgrind-annotations` to work valgrind must be installed.

To use ASAN add the following to configure:

```
../gcc/configure \  
  ... \  
  --with-stage1-libs="-lstdc++ -ldl" \  
  CXXFLAGS=-fsanitize=address \  
  LDFLAGS=-fsanitize=address \  
  ...
```

and have

```
ASAN_OPTIONS='detect_leaks=0'
```

in the environment when building.

See also

- <https://gcc.gnu.org/install/test.html>
- <https://gcc.gnu.org/wiki/DebuggingGCC>
- <https://gcc.gnu.org/wiki/HowToPrepareATestcase>

From:

<http://wiki.osll.ru/> - **Open Source & Linux Lab**

Permanent link:

<http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:gcc-xtensa>

Last update: **2023/03/17 06:22**

