Opensource compiler for motorola internal language

Git repo (http)

Orthogonal aspects

Orthogonal aspects must be decoupled to the maximal possible extent:

- output language
- output file structure
- user data structures and field names
- memory allocation

Output files structure (C)

.h

- includes
- enumerations
- struct typedefs
- structures
- prototypes

.c

- includes
- internal declarations
- field packers/unpackers
- message packers/unpackers
- interface packers/unpackers

Pack/unpack signature

```
<pack return type>
pack_<interface name>(
    SignalType signal, /* signal type */
    Param1_t_uunion *p1, /* only present when interface has explicit header
with non-autogenerated fields */
    Param2_t_uunion *p2, /* only present when interface has explicit trailer
*/
    Param3_t_uunion *p3, /* signal data */
    <pdu arg type> pdu, /* pdu output buffer */
    <pdu size arg type> sz /* pdu buffer size */
```

```
);
```

```
<unpack return type>
unpack_<interface name>(
    <pdu arg type> pdu, /* input pdu buffer */
    <pdu size arg type> sz, /* pdu buffer size */
    SignalType *signal, /* signal type */
    Param1_t_uunion **p1, /* only present when interface has explicit header
with non-autogenerated fields */
    Param2_t_uunion **p2, /* only present when interface has explicit
trailer */
    Param3_t_uunion **p3, /* signal data */
);
```

When the header is absent Param1 corresponds to the trailer. If there's no trailer, its parameter number corresponds to the signal data.

Decoding context

- basic part:
  - bit stream location (byte offset, bit offset)
  - memory allocation context
- custom part:
  - internal variables (managed by 'internal variable assignment' clause)

Field decoder function signature

```
<unpack return type>
unpack_<field name>(
  <decoding context type> * dc, /* data location, updated during unpacking
*/
  <field type> * p /* filled in by this unpack */
);
```

Union member naming

```

Header:

Param1_t_uunion
{
    <interface name>_t <interface name>;
};

Trailer:

```

```
Param2_t_uunion
{
    <interface name>_trailer_t <interface name>_trailer;
};

Signal:

Param3_t_uunion
{
    <message name>_t <message name>;
};
```

Message type

- when interface header doesn't have explicit messagetype filed, default 'messagetype : 1 byte' field is added to the tail of the interface header;

Mandatory/optional sections

Mandatory_tagged and mandatory_unordered fields need iei. iei values for mandatory_unordered must be unique in each mandatory_unordered section (?).

- fields in mandatory section go to binary and back as is;
- fields in mandatory_tagged section are prepended by their respective iei when coded. When decoded presence of correct iei is verified;
- fields in mandatory_unordered section are coded like mandatory_tagged. When decoded, they may go in arbitrary order; iei not listed in current mandatory_unordered group terminates decoding of the current group (mt);

All optional fields need iei, which must be unique in each optional section (?).

- fields in optional section have satellite <name>Present field in decoded struct; they're encoded and decoded as mandatory_unordered;
- fields in optional_ordered section imply <name>Present field in decoded struct; they're encoded and decoded as mandatory_tagged;
- fields in optional_repeated form standard list with First, Last, IsAssigned and Length fields; they're encoded in order and decoded in any order;

All sections may interleave, however mt does not diagnose possible ambiguities when first byte of mandatory field may be valid iei. Such diagnostic would be good.

Consecutive mandatory_unordered, optional and optional_repeated sections form a cluster where order of fields is insignificant. Cluster decoding runs for the length of the current scope. Initially this length is determined by PDU length and may be further narrowed down by the message/field own length.

Unknown iei triggers TLV recovery mechanism: mt reads 16 (?) bits after iei and use them as length of unknown iei field.

Only mandatory fields may have LengthRestriction > 1.

Validation constraints

Interface

- symbols in pack/unpack sections are visible and refer to messages or interfaces;
- every pack/unpack message has corresponding messagetype;
- header and trailer follow the rules for fields;

Field/Message

- types of subfields are visible, parameterized types has required arguments;
- field names are unique in each field contents scope;

Language features

Definitions

- children: first level of contained objects;
- descendants: all levels of contained objects;
- parent: direct container of the object;
- ancestor: any indirect container of the object;
- sibling: another child of the object's parent;

Namespaces

Namespace is set of object types and the set of rules, that describe how objects of the same name interact in certain scope.

- packages (P): last definition is effective in the package scope;
- constants, fields, messages, interfaces (CFMI): must be unique in visible scope;
- subfields: subfields must be unique in the field contents scope;

Scopes

- package: children of the package object;
- natural scope: package + package scopes of ancestors;
- visible scope: package + visible scopes of used packages + visible scopes of ancestors;
- field/message/interface header/interface pack-unpack/interface trailer;
- field contents: each level of nested braces in field/message/interface (header and trailer parts) definition;

Packages

- package nesting is unrestricted;
- use does not affect P namespace;
  - if A contains B, B contains C and A use B, one cannot write A use C;
- use adds visible scope of the used package to the current visible scope in CFMI namespace;
  - use directive in transitive, i.e. A use B and B use C means A use C;
- only package from natural scope may be used, i.e. package may use only children of its ancestors and its children;
- original parser has issues with packages:
  - it treats root package differently than named packages;
  - sibling packages don't merge and don't collide, one defined later is effective, others are ignored;

Naming for C output

Field/message type

<C field type> = <Field name>_t

Ex:

```
field A
{
...
}

typedef struct {...} A_t;
```

Enum

Enum type:

- if this is the only subfield (so that reduction takes place), <C enum type> = <C field type>;
- otherwise <C enum type> = <Field name>_<subfield name>_t;

<C Enum value> = <C enum type>_<Enum value>

Ex:

```
field A
{
    a : 1 byte { V1 = 1, V2 = 2 };
}
field B
{
    a : 1 byte { V1 = 1, V2 = 2 },
```

```
    b : 1 byte { V1 = 1, V2 = 2 };
}

typedef enum { A_t_V1 = 1, A_t_V2 = 2 } A_t;
typedef enum { B_a_t_V1 = 1, B_a_t_V2 = 2 } B_a_t;
```

From:
http://wiki.osll.ru/ - **Open Source & Linux Lab**

Permanent link:
http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:isl?rev=1281870120

Last update: **2010/08/15 15:02**