

N8x0 support in linux-omap

Current kernel: 2.6.31-rc1-omap1

Startup plan

- find optimal debugging techniques and real HW/qemu split;
- make minimal working/debuggable configuration;
- compile domain glossary.

Debug interfaces

Subsystems' status

Debugging in qemu

Need CONFIG_DEBUG_INFO=y in kernel configuration for the following to work.

Magic numbers:

- 0x80000000 - here the kernel is loaded
- 0x80008000 - here we jump after decompression (.text.head that has VA of 0xc0008000 has PA 0x80008000 until MMU is active)
- 0xc0026000 - 'arm-linux-gnu-objdump -x vmlinux' says that .text starts here

Script for gdb session:

```
target remote 127.0.0.1:1234
break *0x80008000
```

To debug compression-related stuff from the very beginning (start, arch/arm/boot/compressed/head.S) till start_kernel:

```
add-symbol-file ~/ws/osll/omap/20090610/linux-omap-2.6/arch/arm/boot/compressed/vmlinux 0x80000000
```

To debug kernel from stext (arch/arm/kernel/head.S) until MMU is active:

```
add-symbol-file ~/ws/osll/omap/20090610/linux-omap-2.6/vmlinux 0x80026000 -s .text.head 0x80008000
```

To debug kernel from start_kernel (init/main.c):

Last
update: etc:users:jcmvbkbc:omap-support-pieces http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:omap-support-pieces?rev=1246313097
2009/06/30
02:04

```
add-symbol-file ~/ws/osll/omap/20090610/linux-omap-2.6/vmlinux 0xc0026000
```

Debugging on real HW

From:
<http://wiki.osll.ru/> - Open Source & Linux Lab

Permanent link:
<http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:omap-support-pieces?rev=1246313097>

Last update: **2009/06/30 02:04**

