

# N8x0 support in linux-omap

Current kernel: 2.6.35

[Rootfs and kernel config](#)

## Startup plan

- [2/3] find optimal debugging techniques and real HW/qemu split;
- [3/4] make minimal working/debuggable configuration;
- [0] compile domain glossary.

## Debug interfaces

## Subsystems' status

- SPI, MMC, USB, mac80211: ok

## Debugging in qemu

### Kernel configuration

- CONFIG\_DEBUG\_INFO=y for symbolic debugging to work;
- CONFIG\_FRAME\_POINTER=y (which is only possible when CONFIG\_ARM\_UNWIND=n) + CONFIG\_DEBUG\_BUGVERBOSE=y for symbolic backtrace on oopses and BUGs;

### Kernel command line parameters

- initcall\_debug=1 - make kernel print all \_init function calls during kernel\_init;

### Magic numbers

- 0x80000000 - here the kernel is loaded
- 0x80008000 - here we jump after decompression (.text.head that has VA of 0xc0008000 has PA 0x80008000 until MMU is active)
- 0xc0026000 - 'arm-linux-gnu-objdump -x vmlinux' says that .text starts here

### Booting n8x0 kernel in qemu

```
qemu-system-arm -M n810 -kernel "linux-omap-2.6/arch/arm/boot/zImage" -s
```

## Script for gdb session

```
target remote 127.0.0.1:1234
break *0x80008000
```

To debug kernel as usual:

```
symbol-file linux-omap-2.6/vmlinux
```

To debug compression-related stuff from the very beginning (start, arch/arm/boot/compressed/head.S) till start\_kernel:

```
add-symbol-file linux-omap-2.6/arch/arm/boot/compressed/vmlinux 0x80000000
```

To debug kernel from stext (arch/arm/kernel/head.S) until MMU is active:

```
add-symbol-file linux-omap-2.6/vmlinux 0x80026000 -s .text.head 0x80008000
```

To debug kernel from start\_kernel (init/main.c):

```
add-symbol-file linux-omap-2.6/vmlinux 0xc0026000
```

## "Blank screen" debugging

Whatever happens, ^C breaks into the running kernel. If the screen is blank, dmesg-like log may be viewed through

```
x/10000s log_buf
```

Or even through

```
dump memory kmsg.log log_buf log_buf+10000
```

## Debugging on real HW

### Dealing with retu watchdog

Need to periodically touch it, like this:

```
while true
do
echo 63 > /sys/devices/platform/retu-watchdog/period
sleep 1
```

done

From:

<http://wiki.osll.ru/> - **Open Source & Linux Lab**

Permanent link:

<http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:omap-support-pieces?rev=1283702649>

Last update: **2010/09/05 20:04**

