QEMU support for Xtensa

- Git tree (view): http://jcmvbkbc.spb.ru/git/?p=dumb/qemu-xtensa.git;a=summary
- Git tree (clone): git://jcmvbkbc.spb.ru/dumb/qemu-xtensa.git / http://jcmvbkbc.spb.ru/dumb/qemu-xtensa.git
- Toolchain build scripts (view): http://jcmvbkbc.spb.ru/git/?p=dumb/xtensa-toolchain-build.git;a=summary
- Toolchain build scripts (clone): git://jcmvbkbc.spb.ru/dumb/xtensa-toolchain-build.git / http://jcmvbkbc.spb.ru/dumb/xtensa-toolchain-build.git
- Kernel and rootfs binary archive: http://jcmvbkbc.spb.ru/~dumb/ws/osll/qemu-xtensa/20110829/xtensa-dc232b_kernel_rootfs.tgz

Now active

- cache option implementation;
- debug option implementation;
- cycle accurate pipeline;

Implementation status

- core/basic opcodes implementation;
  - [+] and/or/xor/neg/abs;
  - [+] shifts;
  - [+] add[x*]/sub[x*]/add.n/addi.n;
  - [+] call0, callx0, j, b*;
  - [+] l32*, s32*;
  - [+] accurate SR write semantics;
- options
  - [+] windowed registers;
    - [+] call*/callx*, retw, rotw, rfwo, rfwu;
    - [+] accurate overflow triggering;
  - [+] loop option;
  - [+] extended L32R option;
  - [-] MAC16;
  - [-] coprocessors;
    - [-] floating point;
    - [+] boolean registers/commands;
  - [+] memory protection;
    - [+] no-MMU mode;
    - [+] region protection (with/without translation);
    - [+] MMU mode;
  - cache options;
    - [-] memory attributes;
    - [-] memory access timing;
  - [-] debug option;

        - exceptions;
            - [+] debug (only external);
            - [-] break;
            - [+] window overflow/underflow;
            - [+] user/kernel (invalid insn, privileged insn, alignment, division by 0,...);
            - [+] relocatable vectors;
            - [+] external interrupts;
            - [+] timer interrupts;
                - [-] correct opcode timings?;
                - [+] qemu timer to avoid busy looping in waiti;
- gdbserver;
    - [+] read/write register, ~~xml register map~~ (not used by gdb);
    - [+] correct SR mapping;
    - [+] debug exception, single step mode;
    - [+] hw/sw breakpoints;
    - [+] gdbserver for different processor types;
- sample evaluation board;
    - [+] memory mapping, ELF loader;
    - [-] standard peripherals;
    - [+] dc232b;
- simulation quality;
    - [+] pass command line arguments to argc/argv SIMCALLs (DAN branch only);
    - [+] TB chaining;
    - cycle accuracy;
        - [-] pipeline/SYNC group;
        - [-] memory access;
        - [-] exceptions;
- [+] external configuration (a-la xtensa overlay)?
- [+] automatic regression test suite;

Events

- 2011.04.20: C++ 'hello world' is working in qemu (stdio, stdlib, simcalls, windowed registers, loops, ext l32r) (:
- 2011.04.26: multithreaded ThreadX application is working in qemu (timer interrupts)
- 2011.04.30: preparation for qemu mainline submission started
- 2011.05.04: first RFC patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-05/msg00242.html
- 2011.05.18: first PATCH patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-05/msg01525.html
- 2011.06.19: linux boots, issues on userspace application startup
- 2011.06.22: successfull userspace app startup in linux
- 2011.06.29: xtensa linux session on qemu-xtensa is available at ssh -p 3333 xtensa@jcmvbkbc.spb.ru with the following private key:

```
-----BEGIN RSA PRIVATE KEY-----
MIIEpQIBAAKCAQEA2ycE9iuEtWoNOmyLsx5aiEAPDx//MJlmMrx6o6qAUTj+wivk
kaKQE1yCZMUa/B40BMUST9KffHqIcV9jxDFjagM/dfbdbTxeiiNEKyjBsrEidEoU
ytM5fkpHFyg1DmCvkXdoUAAzeVCy5ILh6ZhqpQpe68Pb8vQLdj9QmwcvOpS7d97q
```

```
OMbGadIRdgOdlVAYQ/Rju8D+k9yygFn/TwZlTiT/glEpk/D4dq+8D1UlFNvohUH4
3VY/gVJ0CuEQx1OwS+NTJLSz25Z2eTaNTEE4sqqAy2zlBe23Ef4vQo0mWvmBBIkA
x6dPBqKsQZCW6gGcsHk7fMw0K4H1RSOLRiAuQwIDAQABAoIBAQDZQ1m743DxmW37
2di1fwYpxbgoOoR33dxfuFOtJj+IRoTqYzF64DsNtszesjoKcLcJc4av9BOBCMlz
/CmgO4Zfd1DW1iK3RP5E3KmcUA+X49xQhZEPc1CwT1sjLg1Lb7ce885KYaimQMbZ
nJfzSdOQQzPPcKEBv8gNNr/msby0ySFZ06sQNpSzaboD0u7TdssYz22BDaZ0E+4C
VgOLgFHo9qEMO5PlTElRvRd0JjVRF5Mn9SExSxqWKFzlFMNRkk63Fd3j34St+Z6U
VFc5OAMEoJt8pPEFNwpbzK0CZyYhWi02US2A8d5aPgodb1WQ0H1JdgO3u9b5YsJN
hcGjtDwhAoGBAO5/ySbW59vfUkmwI/s5WL3KgfdkzIUGKdG3yPL3MpUgnrOPPcnT
xZi67BWCPS0ac4AlKjMJ0Px85XZQChjEh43CH3cglf9bzneTTC+liHq7GfvoQITd
TOZTHFu1z6SCgUtTnUwQFdXZHJDs0C21VENcS/N0XudXLy0nIBwWKwzHAoGBAOs7
zfBA2IOFim3OHNaMjMUYvtpo+QQNGSwQJrw91rEbyrCd/09rUD5YLddPRhwq1jYJ
qRDGN6gqANRiTkJsZyvQz81aEqlp3WmG4hPWitymhlpgQ4mFmZU88IMYaQ9Dh8Vp
Dv6kT6zraAzBKc5nezjKisDItVzieDbly4TWMX6lAoGAJshOzGsL3vwspGDpKPQF
Uy93/OO+Qi9jY3/wRFogNpHMXMSBNq2iJxjWRRUdn5T6jS798ri47CXfJmMTkT18
EXgsp7F70r96DoW8UM8pJ1P/gLAetbxKwfVn2h3xev3hyn75SCIhetnIRGTN4XDo
F+ANVbRprlLGECCZnxeXvocCgYEAhLnfvvm3sK3+p2oul1gCbYtC1JV6O7DwTQ5n
7Lqvkort2K2tSrBwPF0gsGXIV0hMSX016YMOEFJy2WMGaTAlHnHZbjKuaOyUw2AZ
27un6kwDbqb2NHgvaidSRYXWcYhW6SoYDdHEKvtAYEH1RsLYofiWRaR5wIj/72nF
ZZQ9pQkCgYEA7I004D9SvsVytaeN4RdmbpXYhontoYTorL343B/hAXYgGENKEfTK
VfbweLGQ6Ga8K99YARbx2/3FOYqbGKUtUpgxVwhquyBtcUxq6+vr4riUP6M2Zw55
y3Cqme66+PO8Ka0NjjWxb+ksgO0hgcmEhlnz+3MWNODiacxHffH0ChM=
-----END RSA PRIVATE KEY-----
```

- 2011.07.18: issue with gdb not able to read privileged SRs root-caused: http://sourceware.org/ml/gdb/2011-07/msg00073.html
- 2011.07.19: tensilica guys suggested the following solution for gdb:

```
I guess you can just make sure you don't mark new registers as PRIVILEGED in
   ./gdb/xtensa-config.c
```

- 2011.07.24: second PATCH patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-07/msg02529.html
- 2011.09.01: third PATCH patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-08/msg03888.html
- 2011.09.02: fourth PATCH patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-09/msg00165.html
- 2011.09.06: fifth PATCH patchset sent to qemu-devel http://lists.nongnu.org/archive/html/qemu-devel/2011-09/msg00695.html

qemu

From:
http://wiki.osll.ru/ - **Open Source & Linux Lab**

Permanent link:
http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:qemu-target-xtensa?rev=1315298466

Last update: **2011/09/06 12:41**