

QEMU support for Xtensa

- Git tree (view): <http://jcmvbkbc.spb.ru/git/?p=dumb/qemu-xtensa.git;a=summary>
- Git tree (clone): <git://jcmvbkbc.spb.ru/dumb/qemu-xtensa.git> / <http://jcmvbkbc.spb.ru/dumb/qemu-xtensa.git>
- Toolchain build scripts (view): <http://jcmvbkbc.spb.ru/git/?p=dumb/xtensa-toolchain-build.git;a=summary>
- Toolchain build scripts (clone): <git://jcmvbkbc.spb.ru/dumb/xtensa-toolchain-build.git> / <http://jcmvbkbc.spb.ru/dumb/xtensa-toolchain-build.git>
- Kernel and rootfs binary archive: http://jcmvbkbc.spb.ru/~dumb/ws/osll/qemu-xtensa/20110829/xtensa-dc232b_kernel_rootfs.tgz

Description

qemu/target-xtensa is a project aimed at development of a free simulator for Tensilica Xtensa processor family.

Although xtensa instruction set specification is open and there's even linux port for xtensa there were no free simulator available.

The project was initiated to lower cost and to speed up development of one of the Motorola Solutions projects and has been carried out exclusively by the OSLL. Started in March 2011 it took 2 months to provide initial ThreadX support, 2 more months to provide linux support and 2 more months to get accepted into the qemu mainline.

Our qemu/target-xtensa implementation currently provides almost full instruction set support (enough to run linux/ThreadX), is fast and is available under BSD license.

It can be easily extended to support custom xtensa architecture variants and external hardware.

Our goal is to make it usable (and preferable:) in real development/production environment.

Now active

- documentation: [qemu-doc.texi](#), [wiki](#), ...;

TODO

- XT2000 board emulation;
- LX60 board emulation;
- useful monitor commands, like 'info tlb';
- debug option implementation;
- cache option implementation;
- [cycle accurate pipeline](#);

Implementation status

- core/basic opcodes implementation;
 - [+] and/or/xor/neg/abs;
 - [+] shifts;
 - [+] add[x*]/sub[x*]/add.n/addi.n;
 - [+] call0, callx0, j, b*;
 - [+] l32*, s32*;
 - [+] accurate SR write semantics;
- options
 - [+] windowed registers;
 - [+] call*/callx*, retw, rotw, rfwo, rfwu;
 - [+] accurate overflow triggering;
 - [+] loop option;
 - [+] extended L32R option;
 - [+] MAC16;
 - [-] coprocessors;
 - [-] floating point;
 - [+] boolean registers/commands;
 - [+] memory protection;
 - [+] no-MMU mode;
 - [+] region protection (with/without translation);
 - [+] MMU mode;
 - cache options;
 - [-] memory attributes;
 - [-] memory access timing;
 - [-] debug option;
 - exceptions;
 - [+] debug (only external);
 - [-] break;
 - [+] window overflow/underflow;
 - [+] user/kernel (invalid insn, privileged insn, alignment, division by 0,...);
 - [+] relocatable vectors;
 - [+] external interrupts;
 - [+] timer interrupts;
 - [-] correct opcode timings?;
 - [+] qemu timer to avoid busy looping in waiti;
- gdbserver;
 - [+] read/write register, ~~xm1-register-map~~ (not used by gdb);
 - [+] correct SR mapping;
 - [+] debug exception, single step mode;
 - [+] hw/sw breakpoints;
 - [+] gdbserver for different processor types;
- sample evaluation board;
 - [+] sim(dc232b) platform;
 - xt2000 platform;
 - [-] UART;
 - [-] xtsonic;
 - [-] LED;

- lx60 platform;
 - [-] UART;
 - [-] opencores ethernet;
- simulation quality;
 - [+] pass command line arguments to argc/argv SIMCALLs (DAN branch only);
 - [+] TB chaining;
 - cycle accuracy;
 - [-] pipeline/SYNC group;
 - [-] memory access;
 - [-] exceptions;
- [+] external configuration (a-la xtensa overlay? more overlay reuse?)
- [+] automatic regression test suite;

Events

- 2011.04.20: C++ 'hello world' is working in qemu (stdio, stdlib, simcalls, windowed registers, loops, ext l32r) (:
- 2011.04.26: multithreaded ThreadX application is working in qemu (timer interrupts)
- 2011.04.30: preparation for qemu mainline submission started
- 2011.05.04: first RFC patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-05/msg00242.html>
- 2011.05.18: first PATCH patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-05/msg01525.html>
- 2011.06.19: [linux boots](#), issues on userspace application startup
- 2011.06.22: successfull userspace app startup in linux
- 2011.06.29: xtensa linux session on qemu-xtensa is available at ssh -p 3333
xtensa@jcmvbkbc.spb.ru with the following private key:

```
-----BEGIN RSA PRIVATE KEY-----
MIIEpQIBAAKCAQEAA2ycE9iuEtWoN0myLsx5aiEAPDx//MJlmMrx6o6qAUTj+wivk
kaKQE1yCZMUa/B40BMUST9KffHqIcV9jxDFjagM/dfbdbTxeiiNEKyjBsrEidEoU
ytM5fkpHFyg1DmCvkXdoUAAzeVCy5ILh6ZhqpQpe68Pb8vQLdj9QmwcV0pS7d97q
0MbGadIRdg0dlVAYQ/Rju8D+k9yygFn/TwZlTiT/gLEpk/D4dq+8D1UlFNvohUH4
3VY/gVJ0CuEQx10wS+NTJLSz25Z2eTaNTEE4sqqAy2z1Be23Ef4vQo0mWvmBBiKA
x6dPBqKsQZCW6gGcsHk7fMw0K4H1RSOLRiAuQwIDAQABAoIBAQDZQ1m743DxmW37
2di1fwYpxbgo0oR33dxfuF0tJj+IRoTqYzF64DsNtszesjoKcLcJc4av9B0BCMLz
/Cmg04Zfd1DW1iK3RP5E3KmcUA+X49xQhZEPc1CwT1sjLg1Lb7ce885KYaimQMbZ
nJfzSd0QQzPPcKEBv8gNNr/msby0ySFZ06sQNPszaboD0u7TdsYz22BDaZ0E+4C
Vg0LgFH09qEM05PlTELrVrd0JjVRF5Mn9SEsXqWKFzLFMNRkk63Fd3j34St+Z6U
VFc50AMEoJt8pPEFNwpbzK0CZyYhwi02US2A8d5aPgodb1WQ0H1Jdg03u9b5YsJN
hcGjtDwhAoGBA05/ySbW59vfUkmwI/s5WL3KgfdkzIUGKdG3yPL3MpUgnr0PPcnT
xZi67BWCPS0ac4A1KjMJ0Px85XZQChjEh43CH3cg1f9bzneTTC+liHq7GfvoQITd
TOZTHFu1z6SCgUtTnUwQFdXZHJDs0C21VENcS/N0XudXLY0nIBwWKwzHAoGBA0s7
zfBA2IOFim30HNaMjMUYvtpo+QQNGSwQJrw91rEbyrCd/09rUD5YLddPRhwq1jYJ
qRDGN6gqANRiTkJsZyvQz81aEq1p3WmG4hPwitymhlpgQ4mFmZU88IMYaQ9Dh8Vp
Dv6kT6zraAzBKc5nezjKisDItVzieDbly4TWMX6lAoGAJsh0zGsL3vwsPGDPKPF
Uy93/00+Qi9jY3/wRFogNpHMXMSBNq2iJxjWRRUdn5T6jS798ri47CXfJmMTkT18
EXgsp7F70r96DoW8UM8pJ1P/gLAetbxKwfvn2h3xev3hyn75SCIhetnIRGTN4XDo
F+ANVbRprLLGECCZnxexVocCgYEAhLnfvvm3sK3+p2oul1gCbYtC1JV607DwTQ5n
7Lqvkort2K2tSrBwPF0gsGXIV0hMSX016YMOEFJy2WMGaTAlHnHZbjKua0yUw2AZ
```

```
27un6kwDbqb2NHgvoidSRYXWcYhW6SoYDdHEKvtAYEH1RsLYofiWRaR5wIj/72nF
ZZQ9pQkCgYEA7I004D9SvsVytAEN4RdmbpXYhontoYTorL343B/hAXYgGENKEfTK
VfbweLGQ6Ga8K99YARbx2/3F0YqbGKUtUpgxVwhquyBtcUxq6+vr4riUP6M2Zw55
y3Cqme66+P08Ka0NjjWxb+ksg00hgcmEhlnz+3MWNODiacxHffH0ChM=
-----END RSA PRIVATE KEY-----
```

- 2011.07.18: issue with gdb not able to read privileged SRs root-caused:
<http://sourceware.org/ml/gdb/2011-07/msg00073.html>
- 2011.07.19: tensilica guys suggested the following solution for gdb:

```
I guess you can just make sure you don't mark new registers as PRIVILEGED in
./gdb/xtensa-config.c
```

- 2011.07.24: second PATCH patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-07/msg02529.html>
- 2011.09.01: third PATCH patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-08/msg03888.html>
- 2011.09.02: fourth PATCH patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-09/msg00165.html>
- 2011.09.06: fifth PATCH patchset sent to qemu-devel
<http://lists.nongnu.org/archive/html/qemu-devel/2011-09/msg00695.html>
- 2011.09.10: fifth PATCH patchset hit the qemu mainline:
<http://lists.nongnu.org/archive/html/qemu-devel/2011-09/msg01298.html>

qemu

From:
<http://wiki.osll.ru/> - **Open Source & Linux Lab**

Permanent link:
<http://wiki.osll.ru/doku.php/etc:users:jcmvbkbc:qemu-target-xtensa?rev=1316904089>

Last update: **2011/09/25 02:41**

